

Spot It S garden spotlight 55 mm - 230 V AC

dimnable - rotatable/swiveling

- Compact, dimmable LED garden spotlight with a slim, elegant design
- IP67-certified cast aluminum luminaire housing, corrosion-treated and powder-coated
- Color temperature: 3000 K or 4000 K
- Simple installation thanks to direct connection to 230 V AC mains voltage. Dimmable with most commercially available dimmers
- Includes 2 m connection cable: 3-pole
- Mounting with enclosed ground spike or separately available accessories
- 360° rotatable, 180° tiltable



LIGHT DATA

IP67

73 lm/W

230 V AC

	62424030	62424040
Color of body	black	
Typ. color temperature	3000 K	4000 K
Light color	warm white	cold white
Typ. luminous flux	400 lm	
Efficiency	73 lm/W	
Typ. color rendering index	>80	
SDCM MacAdam	3	
Beam angle	38 °	
Number of LEDs	1	

POWER DATA



	62424030	62424040
Operating voltage AC	230 V AC	
Operating current	24 mA	
Typ. power	5,5 W	

FURTHER DATA


	62424030	62424040
Length	95 mm	
Diameter	55 mm	
dimable via	Trailing Edge	
Driver included	Yes	
Type of protection	IP 67	
Protection class	I	
Indoor/Outdoor	Outdoor	
Material	aluminium	
Finish	powder-coated	
Number of wires	3	
Diameter wires	1,0 mm ²	
Cable termination	2m cable with free wire ends	
Max. temperature Tc	60 ° C	
Max. ambient temperature Ta	-20 ° C ~ +40 ° C	
Lifetime luminaire L90	50000 h	
Remarks	rotatable through 360° - swivels through 180° / lifetime of built-in driver: 50,000 h	

The guarantee period for the product is 5 years and begins on the day of shipment. Reference is the date of the delivery bill. The guarantee period may differ for accessories.

DIMENSIONED DRAWINGS



BEAM CHARACTERISTICS




ACCESSORIES


	62424001	62424006
Description	Glare shield for garden spotlight 55 mm	Extension tube for garden spotlight
Material	aluminium	
Colour	black	
Range of temperature	-20 ° C ~ +40 ° C	
Length	40 mm	525 mm
Diameter	58 mm	20 mm
Remarks	fixation with grub screw	internal cable routing possible via 2 drill holes



(mm)




(mm)




	62424005	62424007
Description	Post bracket for garden spotlight	Ground spike for garden spotlight
Material	aluminium	
Colour	black	
Range of temperature	-20 ° C ~ +40 ° C	
Length	85 mm	265 mm
Diameter	190 mm	59 mm
Remarks	diameter adjustable 35-190 mm	can also be used with extension arm



(mm)




(mm)



	62424008	62424009
Description	Cable connector for outdoor installations	4-way cable connector for outdoor installations
Material	Polyamid PA6	
Type of protection	IP 68	
Length	130 mm	83 mm
Width		54 mm
Height		28 mm
Diameter	36 mm	
Remarks	connection via screw terminals, 5 x 0.25-2.5 mm ²	connection via screw terminals, 4 x 0.5-1.5 mm ²



(mm)



(mm)

