

Spot It M garden spotlight 75 mm - 230 V AC

dimmable - rotatable/swiveling - colour temperature selectable

- Compact, dimmable LED garden spotlight with a slim, elegant design
- IP67-certified cast aluminum luminaire housing, corrosion-treated and powder-coated
- Color temperature: 3000 K / 4000 K - selectable via dip switch
- Simple installation thanks to direct connection to 230 V AC mains voltage. Dimmable with most commercially available dimmers
- Includes 2 m connection cable: 3-pole
- Mounting with enclosed ground spike or separately available accessories
- 360° rotatable, 180° tiltable



LIGHT DATA



	62424100
Color of body	black
Typ. color temperature	3000 K + 4000 K
Light color	white
Typ. luminous flux	1300 lm
Efficiency	87 lm/W
Typ. color rendering index	>80
SDCM MacAdam	3
Beam angle	38 °
Number of LEDs	1

POWER DATA



	62424100
Operating voltage AC	230 V AC
Operating current	65 mA
Typ. power	15 W

FURTHER DATA

	62424100
Length	145 mm
Diameter	75 mm
dimmbale via	Trailing Edge
Driver included	Yes
Type of protection	IP 67
Protection class	I
Indoor/Outdoor	Outdoor
Material	aluminium
Finish	powder-coated
Number of wires	3
Diameter wires	1,0 mm ²
Cable termination	2m cable with free wire ends
Max. temperature Tc	85 ° C
Max. ambient temperature Ta	-20 ° C ~ +40 ° C
Lifetime luminaire L80	50000 h
Remarks	rotatable by 360° - swiveling by 180° Color temperature 3000 K or 4000 K selectable via dip switch Lifetime of built-in driver: 50,000 h


The guarantee period for the product is 5 years and begins on the day of shipment. Reference is the date of the delivery bill. The guarantee period may differ for accessories.

DIMENSIONED DRAWINGS





ACCESSORIES

	62424101	62424006
Description	Glare shield for garden spotlight 75 mm	Extension tube for garden spotlight
Material	aluminium	
Colour	black	
Range of temperature	-20 ° C ~ +40 ° C	
Length	45 mm	525 mm
Diameter	78 mm	20 mm
Remarks	fixation with grub screw	internal cable routing possible via 2 drill holes



	62424005	62424007
Description	Post bracket for garden spotlight	Ground spike for garden spotlight
Material	aluminium	
Colour	black	
Range of temperature	-20 ° C ~ +40 ° C	
Length	85 mm	265 mm
Diameter	190 mm	59 mm
Remarks	diameter adjustable 35-190 mm	can also be used with extension arm



	62424008	62424009
Description	Cable connector for outdoor installations	4-way cable connector for outdoor installations
Material	Polyamid PA6	
Type of protection	IP 68	
Length	130 mm	83 mm
Width		54 mm
Height		28 mm
Diameter	36 mm	
Remarks	connection via screw terminals, 5 x 0.25-2.5 mm ²	connection via screw terminals, 4 x 0.5-1.5 mm ²

